

wall tilês 300x 300mm






Exclusive Designer Tiles Collection





A tile collection that masters the art of abstraction to creatively instill vivid elements, expressions, and styles in your interiors.











101 GLU/GRANULA EFFECT RANDOM : 4





– 💿 ACTUAL IMAGE –




















— 🧑 ACTUAL IMAGE —




















— 💿 ACTUAL IMAGE ——













123 GLU/GF RANDOM : 4

GLU/GRANULA EFFECT





– 💿 ACTUAL IMAGE ––––


















– 👩 ACTUAL IMAGE —





















– 👩 ACTUAL IMAGE –















- 👩 ACTUAL IMAGE -----















– 👩 ACTUAL IMAGE –


















- 💿 ACTUAL IMAGE -----

















— 👩 ACTUAL IMAGE —












152

MATT FINISH





رنعى Maintenance Free Eco Friendly Random Designs



Chemical Resistant














– 💿 ACTUAL IMAGE –











188

MATT FINISH





Random

Designs





Technical Features of Wall Tiles

CHARACTERISTIC	Euro Standards EN - 159 / IS 13753	MEAN VALUE OF OUR	
Dimension & Surface quality			
Dimension	±0.5%	±0.2%	
Deviation in thickness	±0.6 mm	±0.2 mm	
Straightness of sides	±0.3%	±0.2%	
Rectangularity	±0.5%	±0.3%	
Surface flatness	±0.5%	±0.3%	
Surface quality	Min. 95%	Min. 95%	
Physical properties			
Water absorption	>10%	Ave. 10-20%	
Bending strength	> 150 kg/cm2	150 kg/cm2	
Scratch hardness (mohs)	Min. 3	Min. 3	
Crazing	1 Cycle	No Crazing at 4 Cycles	
Chemical properties			
Staining resistance	Min. Class 2	Resistance to all Acids, Alkalies & Household	
Household chemical	Min. Class B	Chemicals, except Hydro Flouric Acid	
Thermal properties			
Thermal shock	Resistant to 10 Cycles	CONFORMS	
Thermal expansion	Max. 9E-06	CONFORMS	

Packing Detail

Size	Thickness (approx.)	Pcs. / Box	Coverage Area / Box	Avg. Weight / Box (approx.)
300x300mm	9 mm	12 pcs.	1.08 sq. mtr.	17.5 kg.



+91 98419 22201 +91 99405 63528

Address

Head Office

No.7, Montieth Lane, Ponmari Towers, Opp Street to Ambassador Pallava Hotel. Egmore, Chennai 600008

Branch Office

No 137(95), Anna Salai (Mount Road), First Floor, Meena Tejasvi Building, Next to LIC Building, Chennai 600002